

Package ‘AudioScatter’

July 21, 2025

Type Package

Title Audiogram Scattergrams

Version 1.1.0

Description Creates pre- and post- intervention scattergrams based on audiometric data. These scattergrams are formatted for publication in Otolology & Neurotology and other otolaryngology journals. For more details, see Gurgel et al (2012) <[doi:10.1177/0194599812458401](https://doi.org/10.1177/0194599812458401)>, Oghalai and Jackler (2016) <[doi:10.1177/0194599816638314](https://doi.org/10.1177/0194599816638314)>.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports tidyverse, ggplot2, dplyr, scales, tibble, magrittr

RoxygenNote 7.3.2

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Dorothy W. Pan [aut, cre],
John S. Oghalai [aut]

Maintainer Dorothy W. Pan <dorothy.pan@med.usc.edu>

Depends R (>= 3.5.0)

Repository CRAN

Date/Publication 2025-06-11 23:40:02 UTC

Contents

AudioData	2
CalcChange	2
dTable	3
dTablePost	3
SavePostScatter	3
SavePreScatter	4

Index	5
--------------	----------

 AudioData

AudioData

Description

An example dataset containing the preop PTA, preop WRS, postop PTA, and postop WRS. You can load your own dataset containing the preop PTA, preop WRS, and potentially postop PTA and postop WRS. The variables are as follows:

Usage

```
data(AudioData)
```

Format

A data frame with rows and 4 columns

Details

- PrePTA. preop pure tone average
- PreWRS. preop word recognition score
- PostPTA. postop pure tone average
- PostWRS. postop word recognition score

 CalcChange

CalcChange Calculate Change between Post and Pre PTA and WRS and put in appropriate column and row for scattergram.

Description

Post-treatment change in PTA and WRS Calculate change in PTA Calculate change in WRS create new columns relating the change in WRS to the correct column for the scattergram. create new columns relating the change in PTA to the correct row for the scattergram.

Usage

```
CalcChange(dTable)
```

Arguments

dTable table loaded from csv file including PrePTA, PreWRS, and possibly PostPTA, PostWRS.

Value

new table with change in PTA and WRS and columns/rows they should go in for PostScattergram.

dTable	<i>load dataset to dTable.</i>
--------	--------------------------------

Description

load dataset to dTable.

Usage

dTable

Format

An object of class tbl_df (inherits from tbl, data.frame) with 58 rows and 4 columns.

dTablePost	<i>Calculate the audiogram changes and write to new table dTablePost</i>
------------	--

Description

Calculate the audiogram changes and write to new table dTablePost

Usage

dTablePost

Format

An object of class tbl_df (inherits from tbl, data.frame) with 58 rows and 8 columns.

SavePostScatter	<i>SavePostScatter</i>
-----------------	------------------------

Description

SavePostScatter

Usage

SavePostScatter(dTablePost)

Arguments

dTablePost	table resulting from CalcChange with change in PTA and WRS, dPTA and dWRS, respectively, as well as the column and row dPTA and dWRS should go.
------------	---

Value

png file of postop scattergram

SavePreScatter

SavePreScatter

Description

SavePreScatter

Usage

SavePreScatter(dTable)

Arguments

dTable table loaded from csv file including PrePTA, PreWRS, and possibly PostPTA, PostWRS.

Value

png file for preop scattergram.

Index

* datasets

AudioData, [2](#)

dTable, [3](#)

dTablePost, [3](#)

AudioData, [2](#)

CalcChange, [2](#)

dTable, [3](#)

dTablePost, [3](#)

SavePostScatter, [3](#)

SavePreScatter, [4](#)